



MEASURE



dentfix.com



Wow, Dent Fix is celebrating its' 45th Anniversary!

1979 to 2024, that is doing time travel the hard way, by living every moment. I am sure some of you reading this were not even alive at the time. Well, let me tell you times have changed.

In 1979 Disco died the 80's killed it with New Wave and Punk Rock. My Computer went from this huge box with a monitor that barely fit on the desk and only displayed in one color, green, to this little box the size paper back and a flat screen with a two million possible color display.

One thing that has not changed in all that time are all the possibilities that we have. I actually think now anything is possible. What a great feeling to know that we live at a time when change is going to happen at an even greater rate due to Al. Hopefully this change will be for the better, but change it will be.

Artificial Intelligence is going to advance medicine, engineering, logistics, manufacturing and everything in between, this will include collision repair. Get ready folks, because the next forty-five years are going to be fun and I will be there at 102 years young thanks to my Al nano bot immune system.

"To infinity and beyond" – Buzz Lightyear

All the best, **Erik Spitznagel**



Maximizing Efficiency & Repair Results SINCE 1979



FOLLOW US & POST! Odentfixequipment







DENT FIX EQUIPMENT 1611 W 135th ST GARDENA CA 90249-2505


Website: www.DentFix.com

Phone: (310) 349-1940 **Fax**: (310) 349-1191

Email: info@dentfix.com

YouTube: /dentfixequipment Instagram: @dentfixequipment Threads: @dentfixequipment TikTok: @dentfixequipment X (Twitter): @dentfixequip

TABLE OF CONTENTS



©2024 DENT FIX EQUIPMENT

Dent Fix Equipment name, Dent Fix Equipment logo, and DF Dot logo are property of Dent Fix Corporation. All rights reserved. Dent Fix trademarks and slogans are not be used unless specified in writing by Dent Fix Equipment .

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




REPAIR

Elevate Your Glue Repairs

Multiple cold and hot glue pulling options to repair damage in automotive steel and aluminum panels. Preserve OEM coatings and interior integrity.

The GLUEMAX Glue Repair Station DF-GM/DXE is the ultimate pulling station equipped with both cold and hot glue pulling options. From heavy duty panel pulling to cosmetic PDR corrections this kit has all your shop's needs covered.

CONSUMABLES - See Below & PG 6, 67



INCLUDED (DF-GM/DXE)





(x2) 50 Grams

DF-CGBT



DF-CGS72 **DF-CGLB**



DF-GPX

DF-900DBH





DF-505BP/09





DF-506



DF-504



DF-DM555UDX

DF-KDTE





DF-900SFH










Part No. DF-GM/DXE










GLUE PAD REPLACEMENTS: *(EYELETS SOLD SEPARATELY)



PULL ACCESSORIES:







COLD ADHESIVE GLUE SLIDE HAMMER SET DF-CGS71

- Cold Glue is ready to use, reform to re-use.
- Quickly and safely move large areas of painted metal efficiently.
- Complete Cold Glue Pulling Kit that is ready to start pulling straight out of the box.



COLD ADHESIVE GLUE PADS

DF-CGS72

• Convert your traditional PDR slide hammer into a cold glue puller. • Wide variety of pull pads to choose the correct pad for the job.

• Great way to quickly and safely move large areas of metal.





Four (4) PDR Slide Hammer **Adapters**







Kit Includes:

Four (4) Aluminum Pull Pads (Thread Size M12 x 175mm): Round: 38mm. 52mm Rectangular: 22 x 57mm & 36 x 80mm Four (4) 11.8mm Universal PDR Slide Hammer Adapters

"Mammoth Tar" Black Cold Glue 50g Foam Tool Organizer Drawer Insert



MAMMOTH TAR BLACK DF-CGBT

- · Virtually no set-up time.
- Applied at normal room temperatures.
- Long lasting durable adhesive is reusable.

Great for everyday use





Reform Cold Glues to Renew Adhesive Ability



ARCTIC ICE LIGHT BLUE DF-CGLB

- Highest adhesion, 20-30% stronger than Mammoth Tar.
- Resilient composition is durable.
- Wide climate range for use in cool and warm climates.

20-30% Stronger Adhesion

than Mammoth Tar



TECH TIP:




Achieve Ultimate Adhesion.

Prepping the Panel: Cleaning the panel and removing any contaminants provides a more detailed look at the damaged area but, more importantly produces the optimal adhesion conditions for cold or hot glue. Contaminants like grease, moisture, and dirt cause the cold and hot glue to release early. After the dirt is removed with soap and water, clean the area with isopropyl alcohol (91%+) and a clean rag to remove the grease. Heat the panel to 80°F, using a heat gun, to flash off any moisture accumulated on the panel.

Appropriate Glue Portion Size: Select an amount of glue big enough to cover the size of the dent and slightly hang off the edge of the tab.

Preparing Cold Glue: Use your hands to manipulate the glue in a kneading action to warm up the glue to working temperature. In low temperature climates, gently heating it with a heat gun on a low setting helps to bring it to optimal working conditions.

Clean the Tab or Pad: Make sure the pull tab is clean and free from containments as well. Adhesion can be affected if contaminants are present. Follow the same cleaning steps for the surface of the pulling pads and tabs.



ULTRA DING MASSAGER DF-DM555UDX

• Dings, dents, & hail damage

• Easy to use & learn

• Special nibs for crease repair

• Works on steel or aluminum

• Use on OEM paint only

Kit Includes:

Blow Molded Case

x24 Assorted Pulling Nibs (DF-DM24VP) x15 Glue Sticks (DF-DM52OGS) 120v Glue Gun (DF-DM53OGG) Knockdown Tool (DF-KDTE) Squeeze Puller (DF-DM54OSP) Slide Hammer (DF-DM53OSH) T-Puller (DF-TPG) Shaping Tools Plastic Scraper Stick (DF-WK3O) Release Agent (DF-DM52ORA)





8PC PDR ROD KIT DF-PDRKIT8

- Great introductory set of PDR tools
- · All basic tools needed to start working
- Case zips up for easy transportation



KNOCKDOWN TOOL KIT

- Four interchangeable heads
- Extend body from 100mm to 130mm
- Ideal PDR tool for high spots and small dents
- · Knurled finish for precision handling & grip



DEAD BLOW HAMMER KIT DF-DB79K

- Gently knock down high spots
- Remove glue residue with the wedge end
- GREAT FOR PDR WORK

 SIX TIPS INTERCHANGEABLE

DING ENHANCER SHIELDDF-DM55DE








Extensive Repair Abilities

Since 2006, we have been perfecting the most capable aluminum stud welding repair station. THIS IS THE MOST COMPLETE UNIT!

The DF-900DX/E Aluspot Extended includes everything that the Ford Approved Aluspot (DF-900DX) has PLUS Aluminum-Head Hammer Set (DF-AH714), POM Nylon Dolly Set (DF-AB712), two more storage drawers, an in-cabinet electrical power strip, and a holster on the side of the cabinet to hang the heat gun. The most complete aluminum repair station on the market!

CONSUMABLES - See Below & Page 17, 66



INCLUDED (DF-900DX/E)



Part No. DF-900DX/E



VOLTAGE DRAWERS WEIGHT

110v 5 280 lbs.



Deluxe Repair Capabilities

Since 2006, we have been meeting the needs for aluminum panel repair. FORD APPROVED!

The **DF-900DX Aluspot Deluxe** is the best selling aluminum repair station "from the name you know and trust." Here you have everything you need for aluminum repair, within easy reach in a self-contained system. The tools lock away so they do not wander and become contaminated with the steel particles floating around the shop.

CONSUMABLES - See Below & Page 17, 66



INCLUDED (DF-900DX)



Part No. DF-900DX



110v 3 220 lbs.



Discover AluSpot


Experience the quality of a premium aluminum panel repair station without breaking the bank!

The **DF-900B AluSpot Mini** from Dent Fix Equipment is designed to operate as the main unit or as a satellite unit. The AluSpot Mini utilizes the same welder as the larger AluSpot systems, but at a fraction of the price. Now any shop can invest in the future and start repairing minor to moderately damaged aluminum panels.

Everything you need to **PULL** minor damage is included in this configuration. Other items such as separate tool sets and heat gun are available upgrades, **see page 12**.







ALUSPOT ALUMINUM REPAIR

STUD WELDER | PULLERS | SHAPING | CONSUMABLES

STOP REPLACING ALUMINUM PANELS - REPAIR THEM AND PROFIT INSTEAD









SIDE-BY-SIDE COMPARISON

INCLUDED	DXE	DX	В
110v Cap. Discharge Stud Welder	•	•	•
Alu-Silicon Studs	•	•	•
Alu-Magnesium Studs	•	•	•
Spitznagel Pull Fingers	•	•	•
T-Puller	•	•	•
Squeeze Puller	•	•	
Leverage Puller	•	•	•
Bridge Puller	•	•	
Stud Cut Pliers	•	•	•
Infrared Temp. Gauge	•	•	
Heat Gun	•	•	
3 PC Hammers (Steel)	•	•	
3 PC Hammers (Alumin.)	•		
22mm Soft Face Hammer	•	•	
35mm Dead Blow Hammer	•	•	
2 PC Nylon Chisels	•	•	
12 PC Nylon Dollies	•		
3 PC Steel Dollies	•	•	
Heat Gun Holster	•	•	•
Stainless Steel Handle Brush	•	•	•
Stainless Steel Tooth Brush	•	•	•
Inline Pneumatic Paint Remover	•	•	
Fiber Discs	•	•	
Power Strip	•	•	•
5 Year Warranty	•	•	•
Body File + 350mm Blade	•	•	
Safety Glasses	•	•	•
5 Drawers	•		
3 Drawers		•	
Dust Cover	•	•	•

REPLACEMENTS





M4x25 | 500 pc DF-900PM/500

ALU-MAGNESIUM STUDS ALU-SILICON STUDS M4x25 | 500 pc DF-900PS/500







FIBER DISCS 6 PIECE DF-710BW



1 PIECE DF-900BFB

ALUMINUM HAMMER SET

DF-AH714

- Solid aluminum head
- Avoid cross contamination
- · Lightweight with more forgiving strike
- Less likely to stretch aluminum panel
- Maintenance free







PERFECT FOR ALUMINUM **AVOID GALVANIC CORROSION GENUINE HICKORY HANDLES**

NYLON DOLLIES

DF-AB712



SOLID POM NYLON NON-CORROSIVE



12 PIECE

- Non-Corrosive Perfect for Aluminum Repair
- Non-Marking When working with metal
- Molded Case Tools kept organized & clean
- Maintenance free

TECH TIP:

HAMMER-ON VS HAMMER-OFF TECHNIQUE

When used properly, the two metal working techniques are very effective at repairing aluminum panels. The hammer-off dollying technique is used when first returning the dent to the original shape. Use the "first in, last out," rule which means to work the dent in reverse, starting outside of the dent and working towards the point of impact. The tools best suited for hammer-off are highly polished steel hammers and rubberized steel core (DF-AB711). Aluminum can easily stretch, so use caution. Hammer-on is used by experienced technicians with lightweight aluminum hammers (DF-AH714) and Nylon dollies (DF-AB712) when smoothing the metal into its final position. Light tapping is used to finish.





RUBBERIZED DOLLIES

DF-AB711



RUBBER SHELL STEEL CORE





- Rubberized Better for soft aluminum
- Steel Core Dense center, good heft
- Case Dollies are isolated & protected
- Maintenance free





Riveting Repairs Made Easier

This riveting work station maintains all your riveting tools in this one mobile cabinet. Bring everything you need right to the work site. Keep your tools and rivets organized and secure in the foam inserts and lockable cart. The scissor top lid opens to a large work area and specially designed cradle to rest the SPR riveter when not in use.

This RIVMAX features our DF-SPR70 Ten Ton Riveter (pg.23). It also includes many of the optional accessories such as our Ford Die Set (pg. 25), Medium Sized Arm (pg. 24), Blind Rivet Adapter (pg. 24), and the Rivet Assortment Kit (pg. 26). This bundled version comes at a much better value than buying all the individual components separately.

CONSUMABLES - See PG 27 & 66



- All-in-one set up Complete tool set
- Mobile
 All tools right at the work site
- Organized
 A place for everything
- Secure
 Lockable cart

Insert and Remove SPR Rivets + Pull Blind Rivets + Install Flow Form Rivets









Part No. **DF-SPR70DX**



SELF-PIERCING RIVETER 107

Powerful Riveter

With 10 Tons of pressure punching through Boron Steel in order to install flow-form rivets is no problem at all.

The award-winning Self-Piercing Riveter DF-SPR70 is part of most OEM recommended methods for joining aluminum panels together. The cold forming technique requires no heat and no pre-drilled holes. Adjust rivet pressure and check on the easy-to-read dial for ultimate control to avoid panel distortion.

CONSUMABLES - See PG 26, 27, & 66



INCLUDED (DF-SPR70)





SPR • 3.3mm



DF-SPR/AD DF-SPR/BD



HR110 Arm

SPR • 5.3mm



Extracting



DF-SPR/ED



Hole Punch



DF-SPR/TD



DF-SPR/OR




Flow Form

DF-SPR/FD

TECH TIP:

SECRET FOR PERFECT **RIVET ALIGNMENT:**

The most popular tool used all over the world for recreating crispy body lines has a secret use! To achieve laser straight SPR rivet alignment, savvy body technicians utilize a Body Line Tool to draw a guide line following the contours of the panel and maintaining the desired distance from the edge.







MEDIUM ARM

DF-SPRHR210

8.5" بُن 3.1"

11.9 LBS

5.5" DEPTH

LARGE ARM

DF-SPRHR310

26 LBS

13.6"



BLIND RIVET ADAPTER

DF-SPR/BRAD70

- Minimal clearance needed
- Position into tight spaces
- 360° Head rotation
- Flexible at 90°

• Fits DF-SPR70



23.6





ONG NECK

Storage for blind rivet heads 3.2 | 3.6 | 4.0 | 4.5mm



360°

SPECIFICATIONS:

Tensile Force: 24kN Aluminum Fitting Capacity: 4.0 to 7.8mm Steel Fitting Capacity: 4.0 to 6.4mm Body Material: Steel Neck Flexible 90° Head Rotation: 360°



See Page 26, 27, & 66



Position the adapter into tight spaces such as under this hatch on a Tesla, making removal unnecessary.



TESLA DIE SET - 15PC

DF-SPR/TESLA15

- Rivet Dies for application & removal
- SPR & Flow Form Rivet Dies
- Punching & Leveling Dies & Extension
- Fits DF-SPR70 10 Ton
- Case included



TESLA DIE SET - 9PC DF-SPR/TESLA9

- Rivet Dies for SPR application
- 5mm Insertion Die
- 8 Receiver Dies
- Fits DF-SPR70 10 Ton
- Case included



6.7MM BORON PUNCH

DF-SPR/BRP

- Punch Holes in Boron (UHSS)
- Only use with DF-SPR70 10 Ton
- Available separately

DF-SPR/T15



DF-SPR/T14

DF-SPR/T16

FORD DIE SET

DF-SPR/FORD70

- Rivet Die set for F-Series
- Fits DF-SPR70 10 Ton
- Case included

Examples of SPR rivet insertion



Universal Rivet Assortment

DF-URAK

- Self-Piercing Rivets
- Blind Rivets
- Plastic Rivets

The DF-URAK Universal Rivet Assortment Kit comes complete with all the neccessary lengths of self-piercing rivets in the 3.35 millimeter and 5.3 millimeter diameter sizes. In addition to the wide variety of SPRs it also includes an assortment of 6 of the most popular nylon blind rivets as well as 4 varieties of structural steel blind rivets most popular in the F-Series.

The inclusive assortment is a sampling size of all available SPR Rivet sizes. We also include the most commonly used Steel and

Nylon Blind Rivets. The idea behind this configuration is to give the body shop a starting point of fasteners in one unit. As inventory is depleted the item part number is easily located on the inside box top. When the shop does re-order, they will be getting the regular full packs. The assortment price reflects a 20% value add compared to buying all the fasteners individually.



Nylon Blind Rivet Sizes:

13/64" Diameter, 15/32" Flange, 15/64"-25/64" Grip Range

13/64" Diameter, 15/32" Flange, 1/8"-15/64" Grip Range

17/64" Diameter, 1/2" Flange, 3/32"-3/16" Grip Range

1/4" Diameter, 1/2" Flange, 5/32"-13/32" Grip Range

1/4" Diameter, 21/32" Flange, 5/32"-13/32" Grip Range

17/64" Diameter, 23/32" Flange, 3/32"-3/16" Grip Range

Self-Piercing Rivet Sizes:

3.35×3.5mm

3.35×4.0mm 3.35×5.0mm

0.00/0.011111

3.35×6.0mm

5.3×4.0mm

5.3×5.0mm

5.3×6.0mm

5.3×6.5mm

5.3×7.0mm

5.3×7.5mm

5.3×8.0mm

5.3×9.0mm

5.3×10.0mm

5.3×12.0mm

Steel Blind Rivet Sizes:

1/4" Diameter, 1/2" Flange, .060"-.138" Grip Range

1/4" Diameter, 1/2" Flange, .110"-.189" Grip Range

1/4" Diameter, 1/2" Flange, .189"-.238" Grip Range

1/4" Diameter, 1/2" Flange, .268"-.346" Grip Range



SELF-PIERCING RIVETS

ZINC COATED

Certain manufacturers require OEM rivets. Follow all OEM repair guidelines.

5.3mm Diameter*



5.3 x 4.0mm (100 pc) DF-SPR54



5.3 x 5.0mm (100 pc) DF-SPR55



5.3 x 6.0mm (100 pc) DF-SPR56



5.3 x 6.5mm (100 pc) DF-SPR565



5.3 x 7.0mm (100 pc) DF-SPR57



5.3 x 7.5mm (100 pc) DF-SPR575



5.3 x 8.0mm (100 pc) DF-SPR58



5.3 x 9.0mm (100 pc) DF-SPR59



5.3 x 10.0mm (100 pc) DF-SPR510



5.3 x 12.0mm (100 pc) DF-SPR512

3.3mm Diameter*



3.3 x 3.5mm (200 pc) DF-SPR33



3.3 x 4.0mm (200 pc) DF-SPR34



3.3 x 5.0mm (200 pc) DF-SPR35



3.3 x 6.0mm (200 pc) DF-SPR36

BLIND RIVETS

1/4 INCH, 1/2 INCH FLANGE















Most Advanced MAXI EVER!

Protect factory coatings with the best way to pull without damaging the panel: GPX PLUS the MAXI. From light to heavy pulls, **The MAXI DXE does it all!**

The MAXI DXE Steel Dent Pulling Station includes our heavy duty Glue Puller Xtreme. This winning combination is the ultimate dent pulling team for all types of panel damage. Lower cycle times increase profit. Available in 220V (DF-505/DXE) or 110V (DF-505/DXE/110V) configurations.

CONSUMABLES - See PG 66, & 67







EEL REPAIR STATIO

SPITZNAGEL GREDAIN TOUR

CALIFORNIA

DF-505/DXE

Part No. DF-505/DXE

110V Also Available Part No. DF-505/DXE/110V

Ultimate Steel Repair Bundle



Kit Includes:

Everything included in a 220V or 110v The Maxi PLUS: Lockable 5-Drawer Cart 5-Piece Hammer Set 6-Piece Dolly Set Body File & Blade Bridge Puller (DF-505BP) Maxi Massager (DF-505DM) 9-Finger Bear Claw (DF-506) 4-Finger Bear Claw (DF-504) MAXI Leverage Puller (DF-503L) Magnetic Key Electrode (DF-503KEM) Wiggle Wire | Thick & Thin Weld Key | Twisted & Flat Right Angle Undercoat Remover (DF-701) Flexible Fender Puller (DF-HD0140) Door Prop Stick (DF-DSP1) Suction Gun (DF-SG70) Ring Hammer (DF-903) 5 pc Wedge Scrapper Set (DF-622) Multi-Clip Pliers (DF-625) Bodyline Marker Tool (DF-BL10A) Clip Lifter (DF-618CL) Surge Protector (DF-601A) Safety Glasses (DF-901SG) Glue Puller Xtreme (DF-GPX) 9-Finger Bear Claw Bridge Attachment

Glue Leverage Puller (DF-900LP)

(DF-505BP/09)



#1 Steel Dent Repair Station

Since 1999, The MAXI has changed the way steel panels are repaired for the better.


The DF-505/220V MAXI Steel Dent Repair Station is 220 volt single phase (also available in 110V, DF-505/110V) steel dent pulling station that provides the technician with the power they need to shrink, pull rocker panels, hail damage, creases, and dents in hard to access areas. From light to heavy pulls, maximize your pulling abilities. Add-on additional upgrades to create the ultimate 'money maker'.

CONSUMABLES - See Below & PG 66



Photo Credit: @luxury.car.repair










The Back Saver

The MAXI reaches a whole new level with the most ergonomic configuration EVER.

The DF-505EX220 MAXI EX Steel Dent Repair Station is 220 volt (also available in 110V, DF-505EX110) is the next evolution of the MAXI series! The Extended Handle organizes the cables out of the way for safe movement of the unit. Combined with the Padded Seat and dual Accessory Trays, the EX brings the technician eye level with the damaged area and holds the consumables or tools poised and ready for rapid deployment.

CONSUMABLES - See PG 66





- Also Available Separate PG 34 & 35 —



MAXI EX STEEL DENT REPAIR STATION



110V Also Available Part No. DF-505EX110

Ergonomic Steel Repair Bundle

Kit Includes: 220v or 110v Maxi Unit Leverage Puller x2 Pulling Rods x2 Slide Hammer Rods Striker Weight Shrinking Electrode Stud Pin Electrode Wiggle Wire Welding Tip Magnetic Key Tip Nine-Finger Bear Claw Four-Finger Bear Claw Weld Keys - Flat & Twist Wiggle Wire - 1/2 lb Thick Wiggle Wire - 1/2 lb Thin Weld Ground Extended Handle Padded Seat x2 Accessory Trays

Optional Upgrades: MAXI Massager (DF-505DM) MAXI Bridge Puller (DF-505BP)



STEEL BRIDGE PULLER

DF-505BP

- Holds pulls in place
- Controlled crease pulling
- Locking wheel adjustment







MADE IN THE USA

MAXI MASSAGER

DF-505DM


- Fine finish work
- Adjustable depth
- Lock pull for tapping

Uses DF-503 short weld rod (Not Included)

EXTENDED HANDLE

DF-505PHXT

- Organizes cables out of the way
- Nimble movement of The MAXI
- Upright pushing position





THE A STREET ON STREET ON

ACCESSORY TRAY

DF-505AT

- Expand your storage
- Elevate your work space
- Keep tools organized
- Perfect factory fit

TECH TIP:

Double existing storage when 2 Trays are added



MAGNETIC KEY TIP

DF-503KEM

- Weld keys with The MAXI*
- Use w/ Bridge Pullers & Claws




DF-503KF Straight Weld Key 100 pcs



DF-503KT Twisted Weld Key 100 pcs





Weld Keys to steel panels with this electrode.*

"Excellent Crease Pulling"

*NOTE: The MAXI, Bridge Puller, Weld Keys, and Pull Rod sourced separately

MAXI SEAT

DF-505MS

• Work from seated position



are sourced separately

WELD GROUND

DF-WG1

- Secure stable ground
- Minimal grinding needed



UPDATE YOUR OLD GROUND

Universal Ground that works with most dent pullers as well as plasma cutters & MIG, TIG, ARC welders.

*NOTE: Cable not included



PANEL REMOVAL & PREP





Boron Killer | DF-1667

6.7×80mm Drill Bit

The ONLY way to drill through Boron Steel is with this bit. Specifically created cut spot welds from Boron Steel. German-made bits can be used with any 3/8" drill.



Titanium Nitride | DF-1780T

8×80mm Drill Bit

Specifically designed for the rigors of spot welding drilling. German-made bits can be used with any 3/8" drill. Centering nib prevents bit from walking



High Speed Cobalt | DF-1780


8×80mm Drill Bit

Specifically designed for the rigors of spot welding drilling. German-made bits can be used with any 3/8" drill. Centering nib prevents bit from walking



Weld Breaker | DF-17

Don't use any other tool than the German made DF-17, German steel Weld breaker to separate freshly drilled panels. Use when spot welds are not completely detached because of sealant, bonding glue or drill through debris.







SHUNTING PLIERS

DF-SP360


- Required by I-CAR for STRSW E-coated panels
- Shunts the current flow
- Thick copper wire and pads ensuring proper welds

ENSURE A PROPER WELD & SAVE THE E-COAT **MAX AMPERAGE 145 AMPS**

I-CAR

REQUIRED

TECH TIP:



Why Use Shunting Pliers?

Squeeze-type resistance spot welding (STRSW) sometimes requires additional measures, in the form of shunting the current flow, to create a successful spot weld.

Protective coatings on steel, such as zinc or weld-through primer increase the resistance leading to less successful initial welds. Non-conductive coatings on steel, such as corrosion resistant E-Coat also inhibit the completion of a proper spot weld.

No need to grind away protective E-coats simply use the Dent Fix Shunting Pliers (DF-SP360). Remove the coating from only the outside surfaces, position the shunting clamp at the spot weld site, and the spot weld is made at the adjacent site. The current chooses the path of least resistance when confronting the non-conductive E-Coat. The shunting pliers conducts the electrical current from one side to the other. The E-coat at the mating surface burns away. The process is very quick and despite the fact most of the current flows between the electrode tips the current detour was brief but necessary.

COPPER WIRE

4 GAUGE

DOOR SKIN PLIERS

DF-DSP310

Provides clamping without interrupting flange fold over

Holds the door skin securely in place



SURGE PROTECTOR

DF-601A

- Protects electronics from surges
- For 24 volt systems, 2 required

Not for use on
 EVs or bybrids



DOOR PROTECTION WELDING COVERS

DF-WB100

- Shields exterior & interior components from grinding/welding debris.
- Pocketed construction and contoured shape ensure ultimate fitment.
- Heavy duty leather & reinforced stitching provide elite level of protection.







AIR INLET

REQUIRED HOSE SIZE

1/4" NPT 3/8" ID (9.5mm)

2.6 lbs. (1.2Kg)

TOOL WEIGHT



RIGHT ANGLE

DF-701

- Compact design
- Great for tight areas
- Remove thick seam sealer
- Undercoating can be removed

• Decal wheel & 3 coarse brushes





ORIGINAL ERASER WHEEL INCLUDED!

Kit Includes:

Right Angle Tool (DF-701) Original Decal Eraser (DF-705) x3 Coarse Brush (DF-702C) 23mm Hub (DF-702H23)

CONSUMABLES



Decal Eraser DF-705



Offset Eraser DF-705D



Coarse Brush DF-702C



Fine Brush DF-702F





23mm Hub DF-702H23



Stainless Fine DF-702SF



Stainless Medium DF-702SM



6 PC

Fiber Discs DF-710BW

ANGLED FINGER SANDER

DF-FBS20

- Guide keeps grinder in place
- Works best in tight areas





LONG GRINDER

DF-19315CR

Solid grip with long handle

• Fits into tight work spaces


• Shield rotates left & right



MINI DIE GRINDER

DF-DG5227

- Adjustable air speed
- Whisper quiet operation: 77dB(A)





OPTIONAL CARBIDE BURRS



ROOF PANEL SAW

DF-PS36

- Cuts up to 16 gauge
- Cut through top panel only
- Double grip handle for firm control
- · Guide helps keep the line straight





FLEXIBLE LIPPED EDGE PULLER

DF-HD0140

Hinged hooks pivot

• Shapes to the curve of the fender

• Pulls up to 1.5 ton

• Pull tail lights and bumpers

Tool adjusts to the shape of the fender





RING HAMMER

DF-903

- 3 hammer heads in 1 tool
- Perfect inner door dolly
- Fits into tight spaces
- Solid hit from small tool
- Ultimate utility



DOOR PROP STICK

DF-DPS1

- Secures a door, hatch, or hood in one position
- Three adjustments settings (11", 13", 15") SOLID LOCK
- Good for left or right use





DF-8



Punches 6.5mm holes Up to 18 gauge steel Deep throat Allows for more room from edge 6.5mm TECHNICIAN

PNEUMATIC PUNCH/FLANGE

DF-MP050K

• Punch & Flange Kit

Pneumatic operation

• 4.0, 5.5, 6.5, 8.0mm Punches

• 8.0mm Deep Punch



FLANGE WIDTH

1 INCH

WARRANTY

1YEAR





PARKING SENSOR LENS HOLE MAKER

DF-EZ10

• Precise & clean way to punch bumper holes

• Used when installing driver assist sensors

• Create holes in plastic up to 5mm thickness

Hole sizes (mm): 17, 18, 18.2, 19, 20, 22.5, 24, 26, 26.7, & 32



Driver assist sensors



Stack discs on top of each other.
Disc can be flipped to cut
different hole sizes.






MEASUREMENT

DIGITAL TRAM GAUGE DF-3DX

- Easy read LCD digital display
- Measures in metric or American standard
- Measures from 1'4" to 11'11"
- Zero capable for comparison measurement





AUTOMATIC SELF CALIBRATING EXTREMELY ACCURATE LONG MEASURING RANGE

SWISS TRAM

DF-3

DENT SPITZNAGEL

HIGHLY **ACCURATE**

10'6" MAX

- Accurate to +/- 1.0mm
- Easy to read tape measure
- Measures 3' to 10'6"

FIM€X



Kit Includes:

x2 - 350mm Pointers

x2 - Cone Pointers (DF-1180)

x2 - Right Angle Pointers (DF-121)x2 - Bullet Pointers (DF-120)

x1 - Nylon Storage Bag

Optional Equipment:

Tram Shortener (DF-311)







Digital Display: Easy to read LCD screen vividly shows measurement readouts. Measures in both metric and American standard.

Kit Includes: x3 - 350mm Pointers (DF-301) x2 - 110mm Pointers (DF-302) x2 - Cone Pointers x2 - Bullet Pointers x2 - Pointer Holders x4 - AA Batteries x1 - Blow Molded Case

Optional Equipment:

700mm Pointers (DF-309)

11' 11" MAX



5 METER TRAM

DF-3TC5A





5 Meter & 3 Meter Trams

3 METER TRAM

DF-3TC3A




GAP GAUGE | BODY LINE TOOL

PERFECT GAP GAUGE DF-PG213

- Eliminates the guess work
- Sets the gap width to factory specs
- 1 to 10mm (1mm per spacer, 10 total)













BODY LINE TOOL DF-BL10A • Re-create fender curves perfectly

- Made in the USA
- Range of 0.5" to 4.75"





HINT: Also great for making sure your SPR rivets are lined up





BODY LINE TOOL XL DF-BL10XL

- Perfectly re-creates body lines
- Made in the USA
- Range of 0.5" to 8.5"







Trace block is adjustable up and down










No More Tanks

Save Money! Convert shop air into nitrogen to run at a lower cost and more convenience than refilling tanks.

The award-winning **DF-EZN1G EZ Nitro Plastic Welder's** on-board nitrogen generator eliminates bulky nitrogen tanks, creating a smaller footprint. The proprietary Flow Adjust Switch Technology (FAST) System makes the DF-EZN1G the easiest nitrogen welder to set-up, adjust, and use.

CONSUMABLES - See Below & PG 67



Included with DF-EZN1G EZ Nitrogen Plastic Welder Generator





DF-EZN1-AT150 DF-900HGH

Nitrogen Welder



Heat Gun Holster



Storage Cart



Hand Seamer



DF-EZN1HS

Plastic Rod Assortment



Generator



DF-900HG

OPTIONAL Heat Gun



DF-800BR

PLASTIC WELD ROD

25 Piece Pack **ABS**

PLASTIC WELDER

ABS, ABS + PC, ABS + PA

3mm • Triangle DF-ABBK03T

3mm • Round DF-ABBK03

> 9mm • Flat DF-ABBK09

15mm • Flat DF-ABBK15

POLYETHYLENE

PE, LDPE, HDPE, PPE

3mm • Round DF-PEBK03

9mm • Flat DF-PEBK09

15mm • Flat DF-PEBK15

POLYURETHANE

PU, PUR, PRIM, RIM, TPU, TPUR

3mm • Round DF-PUNT03

POLYPROPYLENE PP, PP/EPDM, PP/T20, TPO, TEO, TSOP

3mm • Triangle DF-PPBK03T

3mm • Round DF-PPBK03

> 9mm • Flat DF-PPBK09

15mm • Flat DF-PPBK15

POLYCARBONATE

PC, PC + ABS, PC + PBT

3mm • Triangle DF-PCNT03T

3mm • Round DF-PCNT03

> 6mm • Flat DF-PCNT06

9mm • Flat DF-PCNT09





High Pressure Nitrogen Outlet can run air tools.

Part No. DF-EZN1G



air into nitrogen to run the plastic welder



Converts shop

SPITZNAGEL



Also Available Bottle-Fed Unit



80 CU FT MAX

DF-EZN1



Rolling Storage Stand N2 Generator Power Strip on the cart

Hand Seeming Tool - 3.5" Aluminum Tape Roll - 150ft Heat Gun Holster

> Plastic Sample Pack - ABS



- Polycarbonate

- Polyethylene - Polypropylene - Polyurethane

NITROGEN PRESSURE

AIR PRESSURE

POWER

20 PSI

20 PSI

110v



Ditch the Bottle

Save yourself from refilling nitrogen bottles! Convert shop air into N2 instead of paying for refills.

The **DF-EZN1G/DXE EZ Nitro Deluxe Station** is the most comprehensive plastic work station available. All the tools needed are bundled in one tight package. From grinders to hot staplers, everything is included to help you profit from the repair of expensive plastic parts. Improve shop efficiency by turning light hit vehicles faster. On board nitrogen generation just makes this a sweeter deal!








CONSUMABLES - See PG 50 & 67



AIRLESS WELDER DF-EZA1

Simply plug into a 110V socket and begin welding damaged plastic parts back together! Adjustable heat setting for multiple plastic types. Includes plastic welding rod samples (ABS, Polypropylene, Polyethylene, Polycarbonate, and Polyurethane), smoothing tip, and feeder tip.



EZ TAB REPAIR KIT DF-EZTAB

Assists in performing fast, strong slot tab repairs on plastic parts. 5 Different sized slot dies, ranging in size from ¼" (6mm) to ¾" (19mm). The included hand seamer is used to compress the tab after welding.

Replacement Tabs: 10pc Variety DF-EZTABS, 3/4" DF-EZTABB, 5/8" DF-EZTABY, 1/2" DF-EZTABR, 3/8" DF-EZTABW, 1/4" DF-EZTABG



EZ NITRO GENERATORDF-EZG1

Upgrade any brand of Plastic Welder with the EZ Nitro Generator and "DITCH THE BOTTLE". Never Run out of Nitrogen AGAIN! The revolutionary Dual Chamber Separating System transforms your compressed shop air into an endless supply of both regulated & high pressure nitrogen. BONUS: Fill customers tires with nitrogen.

COMPARE EZ NITRO STATIONS

GAS WELD | AIRLESS WELD | HOT STAPLER | GENERATOR

STOP THROWING AWAY BUMPER COVERS - REPAIR THEM INSTEAD OF REPLACE



EZ NITRO G

DF-EZN1G

Nitrogen Generator

EZ Nitro Plastic Welder

Heat Gun (DF-900HG)

Aluminum Tape (DF-EZN1-AT150)

Polycarbonate, Polyethylene, &

Airless Plastic Welder

Plastic Welding Rods:

ABS, Polypropylene,

Heat Gun Holster

Polyurethane

F7 Nitro Plastic Welder* Airless Plastic Welder

Heat Gun (DF-900HG)

Heat Gun Holster

Aluminum Tape (DF-EZN1-AT150)

Tank Reglator

DF-F7N1

Tank Brackets

Plastic Welding Rods:

ABS, Polypropylene,

Polycarbonate, Polyethylene, &

Polyurethane

* Nitrogen Tank not included, needs to be locally sourced.

UPGRADE ANY BRAND





Hot Stapler Kit (DF-800BR) Mini Die Grinders (DF-DG5227) Heat Gun (DF-900HG) Double End Nylon Dolly (DF-900DEND) Round Head Nylon Chisel (DF-900RHND) Aluminum Tape (DF-EZN1-AT150) Multi-Clip Pliers (DF-625) 27 Piece Clip Lifters (DF-623TPS) Clip Lifter (DF-618CL) Hand Seamer (DF-EZN1HS) Ring Hammer (DF-903) **Dust Cover** 5 Piece Wedge Set (DF-622) Plastic Lever Scraper (DF-WK20)

Plastic Welding Rods: ABS, Polypropylene,

Polyurethane

Polycarbonate, Polyethylene, &





EXTENDED DXE

DF-EZN1G/DXE Nitrogen Generator

EZ Nitro Plastic Welder

Airless Plastic Welder



HOT STAPLES



DF-800WC/50 (50 pc) DF-800WC/250 (250 pc)





DF-800ZC/50 (50 pc) DF-800ZC/250 (250 pc)





DF-800MC/50 (50 pc) DF-800MC/250 (250 pc)









DF-800NC/50 (50 pc) DF-800NC/250 (250 pc)





DF-800SC/50 (50 pc) DF-800SC/250 (250 pc)





DF-800UC/50 (50 pc) DF-800UC/250 (250 pc)





DF-800VC/50 (50 pc) DF-800VC/250 (250 pc)







- Installs staples to repair tears in plastic
- Saves thermoplastic parts from the trash
- 3 heat settings: Light Duty, Regular, HD
- Handle + base station

x50 S-Clip StapleClips (DF-800SC/50) x50 V-Clip StapleClips (DF-800VC/50) x50 M-Clip StapleClips (DF-800MC/50) x50 Z-Clip StapleClips (DF-800ZC/50)

MULTI-CLIP PLIERS DF-625

Multiple tools in the palm of your hand

· Remove, pry, or cut tabs

• Disassemble trim clips

Also cuts tubing or zip ties





3PC CLIP SET DF-618XL

- Removes fasteners & clips
- Great for upholstery removal
- Disassemble door panels
- 245×11, 370×11, 250×5mm



ALSO AVAILABLE

- A DF-618XA | 250mm x 5mm
- **B** DF-618XB | 370mm x 11mm
- C DF-618XC | 245mm x 11mm

5PC CLIP KIT DF-618LK

- For plastic fasteners & clips
- Used for upholstery removal
- · Door panel removal
- · Angled & curved for leveraging



- K DF-618CK | 11mm S-Clip Lifter
- N DF-618CN | 7mm Clip Lifter Wide
- DF-618CL | 7mm Clip Lifter Narrow
- M DF-618CM | 5mm Half-Round Clip Lifter
- J DF-618CJ | 11mm Angled Clip Lifter





NYLON POP RIVET ASSORTMENT

DF-NRAK

Most popular rivets

• Clearly marked and organized

• Tackle box style case



*Sizes can be found on DentFix.com



5 PC DOOR WEDGE SET

DF-622

- Utility wedge set
- Great for molding removal, popping clips, scraping, and wedging



WEDGE LIFTER


DF-WK20

 Perfect for glass, weather stripping, and interior plastics



COMBI WEDGE

Wedge plus clip removal tool
For dash & door panel removal
Hard to lose, hi-vis yellow
Constructed of strong plastic
Pivot point for prying
Length: 8.5"



Micro Teeth provide precise cutting of plastic, leather, cloth, rubber, gaskets, wire and other automotive materials.





SOFT-SHOCK

"PALM SAVER"

DF-SM76

Apply a strong striking force AND avoid damaging or scratching parts!

APPLICATION

Non-marring soft blow hammer, works great on aluminum body panels, bumper covers, and trim. This mallet is perfect for part fitment.



FEATURE & BENEFITS

- RUBBER HOUSING Special contact housing designed to reduce damage to delicate surfaces.
- SOFT SHOCK Non-Newtonian fluid filler is engineered to compress and dissipate the force.
- STEEL SHAFT Angled 15° to protect against accidental contact.
- NON-SLIP GRIP Ideal gripping position and feel to insure safety and control.

DESCRIPTION

Discover all the new ways Soft-Shock Mallet DF-SM76 can be utilized on many collision repair jobs. The special non-Newtonian filler can compress and dissipate force, designed to reduce damage to the repair surface area. Apply firm precision taps for "parts fitment negotiating" dashboards, head- or tail-light assemblies, windshield placement, plastic bumper covers, interior or exterior decorative trim, emblems, and GPR/PDR work. With the same mallet in hand, release heavy-handed controlled hits for steel or aluminum body panels, roof rails, alloy wheels, and center caps. Its your new favorite mallet!

Head Height: 2 13/32 in Head Width: 3 3/64 in Head Weight: 13 oz WARNING Total Weight: 1.48 lb Total Length: 101/4 in

A CLOSER LOOK INSIDE



US Patented

What is Non-Newtonian Fluid?

In non-Newtonian fluids, viscosity can change when under force to either more liquid or more solid. You may have come across it and didn't know it. Do you remember in childhood mixing corn starch and water? The mixture is called "oobleck" or "magic mud" and is a perfect example of non-Newtonian fluid. When it was punched or hit it became impenetrable but a soft touch easily breaks the surface.





Rack Time is Expensive

Free up your rack in minutes! Quick and safe method to transport disabled vehicles off a rack. Vehicle is secured and easily rolled onto a frame machine or into a paint booth.


The Body Buggy makes the difficult task of moving a disabled vehicle around the body shop simple and safe. After a simple five minute installation, the unit becomes "part of the vehicle", negating the need to employ any unstable or dangerous lift points. The included spacer kit allows for the use of original fasteners, alleviating the need for any additional fastener inventory.



FEATURE & BENEFITS


- FREE UP RACKS Quickly move disabled vehicles off the rack when waiting on parts, inspections, or other costly delays.
- **HIGHLY MOBILE** Move the vehicle by hand over speed bumps, dips, or uneven pavement.
- VERSATILE Install on the front or rear of most any vehicle with the wheel assemblies placed on either side of the mounting point.
- MADE IN THE USA Design & manufactured in California for the utmost in quality.

CONFIGURATIONS



DESCRIPTION

The patented **Body Buggy** makes the difficult task of moving a disabled vehicle simple and safe. After a simple five minute installation, the unit becomes "part of the vehicle", negating the need to employ any unstable or dangerous lift points. The included spacer kit allows for the use of original fasteners, alleviating the need for any additional fastener inventory. When installed, the vehicle is easily rolled onto a frame rack, into a paint booth or to storage, out of the way of production. The device can be installed on the front or rear of most any vehicle using the cradle or sub-frame mounting points and hardware.















Kit Includes:
Main Beam (4 or 5 Foot)
Wheel Assemblies
Sliding Lock Collars
Mounting Brackets (2 Pairs of different heights)
Hitch Pins, Clips, & Fitment Pin Spacer
Storage Crate
10 pc Spacer Kit

BAR LENGTH

WARRANTY

MAX LOAD

4 or 5 Foot

5 Years

4,500 lbs

4

REFINISHING

CURERIGHT DF-CR004



- Faster production times using UV curable fillers and primers.
- As little as 1 second curring times with UV primers.
- Automatic timer turns curring into an effortless task.
- Equipped with an active cooling system



RANGE FINDER: Find the optimal distance for UV curring. (4-400cm,±3 cm)



CONTROL CENTER: LCD Screen to program curring times and irradiance. Unit will shut off when done.



KIT INCLUDES: UV-A Curing Light, UV-A Protection Eye Glasses, 15V1.5A Wall Mounted Charging Station, & Premium Protective Case





400cm Ultra Sonic Range Finder



UV High Powered LED 66W



395 Ap Wavelength

STATICZAP DF-EZAP

- Neutralizes static charge
- Eliminates dust attraction
- Metal flake will stand up and sparkle

PRO TIP:

Save Time & Frustration

"Too often, body shops overlook the importance of proper preparation and cleanliness in the paint process, and rely on the buffing/polishing phase of the repair process to address paint quality related issues. Reimbursement for denib & polish or color sand and buff is generally poor, and often more labor is spent than what we are compensated for. The StaticZap is a vital tool that all painters should incorporate into their pre-application routine to reduce the time spent with re-do's and buffing/polishing after paint. Easy to use, and the difference is huge. Any paint team looking into increase their productivity and reduce their cycle time should definitely invest in this tool. I did not receive any compensation for this review—this is an unbiased assessment."

Andrew B.
 BMW Body Shop Manager in So. California







REFINISHING

MatchGUN DF-MR007



- Premium handheld or mounted color matching lamp
- High CRI (96+) produces perfect light conditions
- · Five color modes replicate different times of day of sunlight
- BONUS: UV mode for quick leak detection



SUPER BRIGHT: Adjustable brightness levels from 300 Lumens all the way up to 2400 Lumens



VISUALIZE TRUE COLOR: Wide CCT Range from 2700K to 6500K and a high CRI of 96+



KIT INCLUDES: 5 Color Color Match Light, Foam Lined Protective Case, Tripod, & Wall Mount Charge





2,400



LIGHT **COLORS**



MatchHEAD

DF-MR003

- Compact & Bright
- Versatile Light
- Adjustable Headband









LIGHT



Motion Sensor ON/OFF



60° Adjustable **Bracket**

MatchWAND

DF-MR005

- Hanheld color matching lamp
- · Bench top charging dock with USB
- Magnets on the base and back of the unit

Hook mount that folds away







500



Replaceable Lens



Magnet on Back & Bottom



HAND TOOLS

MAGNETIC PAINT CLAMP DF-PC203

- Strong & fast way to secure parts
- For a controlled spray painting/coating
- Magnetic base & powerful wedge grip



MAGNETIC LED LIGHT DF-LED935

- Super bright COB (Chip on board) LED
- Hangable magnetic swivel base
- Adjustable dimmer switch



RAZOR SCRAPPER SET DF-608

- Narrow blade great for removing windows
- Clean polyurethane & stickers from glass
- 12, 16, 20mm straight blade & 16mm angled



PERFECT FOR TESLA ROOF GLASS







MAGNETIC CABLE HOLDER 27 PC TRIM PANEL SET **DF-MGCH**

- Organizes the cables up and off the floor.
- Strong magnetic base easily holds heavy cables.
- Pair of two (2) holders.

STRONG MAGNET

DF-623TPS

- Safely remove interior & exterior trim pieces.
- Wide array of options to get the job done.
- Remove air vents, door trim, & dashboard pieces.
- "Ninja master set" B. Lee







Description	Size/Style	Quantity	Part Number
ALUSPOT 🛑			
Alu-Magnesium Studs	M4×25	500 pc	DF-900PM/500
Alu-Silicon Studs	M4×25	500 pc	DF-900PS/500
Pull Finger	Spitznagel	1 pc	DF-900PF
Fiber Discs	-	6 pc	DF-710BW
Replacement Blade	-	1 pc	DF-900BFB

RIVMAX & 10 Ton Rive	eter*	*DF-SPR/BRAD70	needed for Blind Rivets
Universal Rivet Assortment Kit	SPR/Blind	Variety	DF-URAK
FORD Die Kit	FORD	Kit	DF-SPR/FORD70
Extractor Die Set E1/E2	MALE/FEMALE	1 each	DF-SPR/ED
Extractor Die E1	MALE ONLY	5 pc	DF-SPR/E1X5
SPR Die Set A1/A2	3.3mm	1 each	DF-SPR/AD
SPR Die Set B1/B2	5.3mm	1 each	DF-SPR/BD
Hole Punch Die Set T1/T2	Punch	1 each	DF-SPR/TD
Flow Form Die Set F1/F2	Flow Form	1 each	DF-SPR/FD
Flattening Die Set D17/D17	Flat	1 each	DF-SPR/D17
SPR Rivets 5.3mm Diameter	4.0mm Height	100 pc	DF-SPR54
SPR Rivets 5.3mm Diameter	5.0mm Height	100 pc	DF-SPR55
SPR Rivets 5.3mm Diameter	6.0mm Height	100 pc	DF-SPR56
SPR Rivets 5.3mm Diameter	6.5mm Height	100 pc	DF-SPR565
SPR Rivets 5.3mm Diameter	7.0mm Height	100 pc	DF-SPR57
SPR Rivets 5.3mm Diameter	7.5mm Height	100 pc	DF-SPR575
SPR Rivets 5.3mm Diameter	8.0mm Height	100 pc	DF-SPR58
SPR Rivets 5.3mm Diameter	9.0mm Height	100 pc	DF-SPR59
SPR Rivets 5.3mm Diameter	10.0mm Height	100 pc	DF-SPR510
SPR Rivets 5.3mm Diameter	12.0mm Height	100 pc	DF-SPR512
SPR Rivets 3.3mm Diameter	3.5mm Height	200 pc	DF-SPR33
SPR Rivets 3.3mm Diameter	4.0mm Height	200 pc	DF-SPR34
SPR Rivets 3.3mm Diameter	5.0mm Height	200 pc	DF-SPR35
SPR Rivets 3.3mm Diameter	6.0mm Height	200 pc	DF-SPR36
Blind Rivets 1/4"x1/2"	.060138" Grip	10 pc	DF-BRS10
Blind Rivets 1/4"x1/2"	.110189" Grip	10 pc	DF-BRS11
Blind Rivets 1/4"x1/2"	.189238" Grip	10 pc	DF-BRS12
Blind Rivets 1/4"x1/2"	.268346" Grip	10 pc	DF-BRS13

MAXI*	*For MAXI DXE replacement glue	e pulling consumables	see GPR + PDR section
Weld Pull Keys	Flat	100 pc	DF-503KF
Weld Pull Keys	Twisted	100 pc	DF-503KT
Weld Rods - Slide Hammer	10"	3 pc	DF-503L
Weld Rods - Pulling	<i>5.5"</i>	3 pc	DF-503
Wiggle Wire - Thick	1 lb.	30 pc	DF-507TK
Wiggle Wire - Thin	1 lb.	62 pc	DF-507



Description	Size/Style	Quantity	Part Number
PLASTIC REPAIR			
StapleClip Hot Staples	Z-Clip	50 pc	DF-800ZC/50
StapleClip Hot Staples	N-Clip	50 pc	DF-800NC/50
StapleClip Hot Staples	S-Clip	50 pc	DF-800SC/50
StapleClip Hot Staples	M-Clip	50 pc	DF-800MC/50
StapleClip Hot Staples	W-Clip	50 pc	DF-800WC/50
StapleClip Hot Staples	V-Clip	50 pc	DF-800VC/50
StapleClip Hot Staples	U-Clip	50 pc	DF-800UC/50
ABS	3mm Triangle	25 pc	DF-ABBK03T
ABS	3mm Round	25 pc	DF-ABBK03
ABS	9mm Flat	25 pc	DF-ABBK09
ABS	15mm Flat	25 pc	DF-ABBK15
PolyCARBONATE	3mm Triangle	25 pc	DF-PCNT03T
PolyCARBONATE	3mm Round	25 pc	DF-PCNT03
PolyCARBONATE	6mm Flat	25 pc	DF-PCNT06
PolyCARBONATE	9mm Flat	25 pc	DF-PCNT09
PolyETHYLENE	3mm Round	25 pc	DF-PEBK03
PolyETHYLENE	9mm Flat	25 pc	DF-PEBK09
PolyETHYLENE	15mm Flat	25 pc	DF-PEBK15
PolyPROPYLENE	3mm Triangle	25 pc	DF-PPBK03T
PolyPROPYLENE	3mm Round	25 pc	DF-PPBK03
PolyPROPYLENE	9mm Flat	25 pc	DF-PPBK09
PolyPROPYLENE	15mm Flat	25 pc	DF-PPBK15
PolyURETHANE	3mm Round	25 pc	DF-PUNT03
Nylon Rivets	13/64" Dia. 15/32" Flange	50 pc	DF-BRN10
Nylon Rivets	17/64" Dia. 3/32" Flange	50 pc	DF-BRN11
Nylon Rivets	1/4" Dia. 1/2" Flange	50 pc	DF-BRN12
Nylon Rivets	17/64" Dia. 23/32" Flange	50 pc	DF-BRN13

GPR + PDR



Red Glue	High Humidity	10 pc	DF-HS10
Yellow Glue	Profess. Strength	10 pc	DF-PG10
Amber Glue	Original	10 pc	DF-DM520GS
GPX Screw Down Eyelet	-	1pc	DF-GPX/EY
GPX Glue Pad Single*	1.5"	1 pc	DF-GPX/E1
GPX Glue Pad Double*	2"	1pc	DF-GPX/E2
GPX Glue Pad Triple*	3"	1 pc	DF-GPX/E3
GPX Glue Pad Quadruple*	4"	1pc	DF-GPX/E4
GPX Glue Pad Quintuple*	5"	1 pc	DF-GPX/E5
Ultra Ding Massager PDR Nibs	Variety Pack	24 pc	DF-DM24VP
Mammouth Tar Cold Glue	50 Grams	1pc	DF-CGBT
Arctic Ice Cold Glue	50 Grams	1 pc	DF-CGLB



FOLLOW US & POST!

@dentfixequipment





